



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/844,500	04/30/2001	Ihn-Kyung Kim	P56386	9048
7590 06/27/2005			EXAMINER	
Robert E. Bushnell			LAMB, TWYLER MARIE	
Suite 300 1522 K Street,	N.W.		ART UNIT	PAPER NUMBER
Washington, DC 20005-1202			2622	
		DATE MAILED: 06/27/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		09/844,500	KIM, IHN-KYUNG			
		Examiner	Art Unit			
		Twyler M. Lamb	2622			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
THE - Exte after - If the - If NC - Failt Any	ORTENED STATUTORY PERIOD FOR REPL' MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply operiod for reply is specified above, the maximum statutory period vere to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tim y within the statutory minimum of thirty (30) days vill apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONEI	ely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133).			
Status						
1)	Responsive to communication(s) filed on 14 M	l <u>arch 2005</u> .				
		action is non-final.				
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
4) Claim(s) 1-17 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-17 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.						
Applicati	ion Papers					
9) The specification is objected to by the Examiner.						
10)	10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority u	ınder 35 U.S.C. § 119					
a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureausee the attached detailed Office action for a list	s have been received. s have been received in Application ity documents have been receive I (PCT Rule 17.2(a)).	on No d in this National Stage			
Attachman	Vol.					
Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2)	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	Paper No(s)/Mail Dat 5) Notice of Informal Pa 6) Other:	te			

Application/Control Number: 09/844,500

Art Unit: 2622

DETAILED ACTION

Claim Rejections - 35 USC § 102

- 1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:
 - (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-17 are rejected under 35 U.S.C. 102(b) as being anticipated by Murayama et al. (Murayama) (US 5,879,841).

With regard to claims 1-17, all of the claimed limitations are either explicitly or inherently taught by Murayama. Which is evidenced by the fact that the current application teaches a method of extending a print area beyond the lower margin and Murayama discloses a method and an apparatus for preparing image area. The expanded area generating means 126 creates a expanded area. The expanded area represents an area of each unit image which is to be printed on the surface of the page The expanded area generating means expands the periphery of the printing area by the desired size (col 5, lines 21-51).

Response to Arguments

3. Applicant's arguments with respect to claims 1-17 have been considered but are moot in view of the new ground(s) of rejection.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Twyler M. Lamb whose telephone number is 571-272-7406. The examiner can normally be reached on Mon, Tues and Thurs 6:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward L. Coles can be reached on 571-272-7402. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Twyler M. Lamb Primary Examiner Art Unit 2622